

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	957	query\$4 same host same program\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L2	56	second near20 hand near20 held near reader	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L3	52	first near20 hand near20 held near reader	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L4	1	L1 and L2 and L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L5	5	L1 and elliot\$4.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L6	2171	host\$4 same program\$4 same (reader or scanner)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L7	211	host\$4 same program\$4 same (reader or scanner) same request\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L8	50	L7 and "235"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43

L9	395	host\$4 same program\$4 same (reader or scanner) same (barcode\$1 or (bar adj1 code\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L10	189	L9 and "235"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L11	37487	(query\$4 or request\$4) same print\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L12	76	L9 and L11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L13	58	L12 not longacre.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L14	61	elliott\$4.in. and "235"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L15	40	elliott\$4.in. and "235"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L16	1744	(reader or scanner) adj40 program\$4 adj40 (reader or scanner)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L17	393	L16 and "235"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43

L18	1632	(reader or scanner) adj20 program\$4 adj20 (reader or scanner)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L19	378	L18 and "235"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L20	1	L19 and elliot\$4.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L21	378	L18 and "235"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L22	233	((reader or scanner) adj20 program\$4 adj20 (reader or scanner)) same ((bar adj1 code\$1) or barcode\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L23	45	((reader or scanner) adj20 program\$4 adj20 (reader or scanner)) same ((bar adj1 code\$1) or barcode\$1) same host	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L24	23	L23 not longacre.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L25	23	((reader or scanner) adj20 program\$4 adj20 (reader or scanner)) same ((bar adj1 code\$1) or barcode\$1) same host same print\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L26	12	host.clm. and program\$4.clm. and querying.clm. and print\$4.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L27	1	host.clm. and program\$4.clm. and querying.clm. and print\$4.clm. and bar.clm. and reader.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43

L28	28	clon\$4 same (reader or scanner) same host same print\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L29	6	L28 not longacre.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L30	957	query\$4 same host same program\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L31	56	second near20 hand near20 held near reader	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L32	52	first near20 hand near20 held near reader	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L33	2171	host\$4 same program\$4 same (reader or scanner)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L34	211	host\$4 same program\$4 same (reader or scanner) same request\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L35	395	host\$4 same program\$4 same (reader or scanner) same (barcode\$1 or (bar adj1 code\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L36	189	L35 and "235"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43

L37	37487	(query\$4 or request\$4) same print\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L38	1744	(reader or scanner) adj40 program\$4 adj40 (reader or scanner)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L39	393	L38 and "235"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L40	1632	(reader or scanner) adj20 program\$4 adj20 (reader or scanner)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L41	378	L40 and "235"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L42	233	((reader or scanner) adj20 program\$4 adj20 (reader or scanner)) same ((bar adj1 code\$1) or barcode\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L43	28	clon\$4 same (reader or scanner) same host same print\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L44	1	L30 and L31 and L32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L45	1	L41 and elliot\$4.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L46	1	host.clm. and program\$4.clm. and querying.clm. and print\$4.clm. and bar.clm. and reader.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43

L47	5	L30 and elliot\$4.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L48	50	L34 and "235"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L49	76	L35 and L37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L50	58	L49 not longacre.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L51	61	elliot\$4.in. and "235"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L52	40	elliot\$4.in. and "235"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L53	45	((reader or scanner) adj20 program\$4 adj20 (reader or scanner)) same ((bar adj1 code\$1) or barcode\$1) same host	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L54	23	L53 not longacre.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L55	23	((reader or scanner) adj20 program\$4 adj20 (reader or scanner)) same ((bar adj1 code\$1) or barcode\$1) same host same print\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43

L56	12	host.clm. and program\$4.clm. and querying.clm. and print\$4.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L57	6	L43 not longacre.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L58	378	L40 and "235"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:43
L59	1	(ic same (cavity) same card same circular) and "235"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:49
L60	15	(ic same cavity same card same circular)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:50
L61	2180	ic same cavity same circular	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:50
L62	0	l61 and 235/488.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:50
L63	10	l61 and "235"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 06:51